

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	CAPT. AJITHA NAIR
	(ii) Name of HCF or CBMWTF	:	KIMS BELLERSE INSTITUTE OF MEDICAL SCIENCE PVT. LTD.
	(iii) Address for Correspondence	:	
	(iv) Address of Facility	:	DARD NO. 8, THOOTHUTY JUNCTION KUDAMALODR PO, KOTTAYAM - 686017
	(v) Tel. No, Fax. No	:	0481-2941000
	(vi) E-mail ID	:	KIMS.KTM@KIMSHEALTH.ORG
	(vii) URL of Website	:	
	(viii) GPS coordinates of HCF or CBMWTF	:	LATITUDE: 9.6413622 LONGITUDE: 76.5312227
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation IMAGE No.: IMAGE/ANC/106866/2024-2025valid up to 31.03/2025
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 28/02/2025
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds:..... 69
	(ii) Non-bedded hospital	:	
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	400475/RPTL20/GPO/2024/1673
3.	Details of CBMWTF	:	IMAGE/IMA, KSB, KANJIKODE WEST, PALAKKAD 678623
	(i) Number healthcare facilities covered by CBMWTF	:	18916
	(ii) No of beds covered by CBMWTF	:	101809
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	Kg per day 55.8 tonnes/day

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF :	Kg/day 51.52 tonnes / day.																																																		
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis) :	Yellow Category : 12959.71 Red Category : 9827.79 White: 2205.90 Blue Category : 2205.90 General Solid waste:																																																		
5	Details of the Storage, treatment, transportation, processing and Disposal Facility																																																			
	(i) Details of the on-site storage facility :	Size : 121 sq.ft. Capacity : Provision of on-site storage : (cold storage or any other provision)																																																		
	(ii) Details of the treatment or disposal facilities :	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Microwave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Deep burial pits:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Chemical disinfection:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Any other treatment equipment:</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> Handled By IMAGE			Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators				Plasma Pyrolysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer				Sharps encapsulation or concrete pit				Deep burial pits:				Chemical disinfection:				Any other treatment equipment:			
Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum																																																	
Incinerators																																																				
Plasma Pyrolysis																																																				
Autoclaves																																																				
Microwave																																																				
Hydroclave																																																				
Shredder																																																				
Needle tip cutter or destroyer																																																				
Sharps encapsulation or concrete pit																																																				
Deep burial pits:																																																				
Chemical disinfection:																																																				
Any other treatment equipment:																																																				
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum. :	Red Category (like plastic, glass etc.) NA																																																		
	(iv) No of vehicles used for collection and transportation of biomedical waste :	NA																																																		
	(v) Details of incineration ash and ETP sludge generated and disposed :	Quantity generated	Where disposed																																																	
		120 kg/year	Land fill.																																																	

	during the treatment of wastes in Kg per annum	Incineration Ash ETP Sludge	70 Kgs.
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		IMAGE CBWTF
	(vii) List of member HCF not handed over bio-medical waste.		NA.
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		YES, Discussed in monthly HIC committee meetings. (File Attached).
7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management		65
	(ii) number of personnel trained		526
	(iii) number of personnel trained at the time of induction		128
	(iv) number of personnel not undergone any training so far		Zero
	(v) whether standard manual for training is available?		YES.
	(vi) any other information)		
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		08 Needle Stick Injury.
	(ii) Number of the persons affected		NIL
	(iii) Remedial Action taken (Please attach details if any)		FILE ATTACHED
	(iv) Any Fatality occurred, details.		
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA.
	Details of Continuous online emission monitoring systems installed		NA.
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		STP -UF Output Details attached.
11	Is the disinfection method or sterilization meeting the log 4		

	standards? How many times you have not met the standards in a year?		NIL
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator) NA

Certified that the above report is for the period from

JANUARY 2023 - DECEMBER 2023


Name and Signature of the Head of the Institution

Date: 02/06/2024
Place: KOTTAYAM.



Capt Ajitha Nair
CEO
KIMSHEALTH
Kudamaloor P.O., Kottayam - 686017