

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars	Details	
1	Particulars of the Occupier		
	(i) Name of the authorised person (occupier or operator of facility)	Capt Ajitha Nair	
	(ii) Name of HCF	KIMS - Kottayam Institute of Medical Science Pvt. Ltd IMAGE CBWTF Aff.No.KTM.0336	
	(iii) Address for Correspondence	KIMS - Kottayam Institute of Medical Science, Kudamalloor , kumaranalloor, Kottayam, Kottayam, Kerala, India, Pin - 686017	
	(iv) Address of Facility	KIMS - Kottayam Institute of Medical Science, Kudamalloor , kumaranalloor, Kottayam, Kottayam, Kerala, India, Pin - 686017	
	(v) Tel. No,Fax. No	0481261415, 7025450574	
	(vi) E-mail ID	infectioncontrol.ktm@kimsglobal.com	
	(vii) URL of Website		
	(viii) GPS coordinates of HCF or CBMWTF	Latitude - Longitude -	9.6413622 76.5312227
	(ix) Ownership of HCF or CBMWTF	CHIEF EXECUTIVE OFFICER	
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	IMAGE IMAGE/ANC/138573/ 2025-2026	Valid up to 31/03/2026
	(xi) Status of Consents under Water Act and Air Act	28/02/2025	on processing for renewal
2	Type of Health Care Facility		
	(i) Bedded Hospital	Private Hospital (PH) → 69 Beds	
	(ii) Non-bedded hospital		
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		
	(iii) License number and its date of expiry	SH050180010169 Valid up to 31/12/2025	

Deep burial pits (Needle)	Nil	Nil	
Chemical disinfection	Nil	Nil	
Any other treatment equipment:	Nil	Nil	

(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum. Red Category (like plastic, glass etc.)

The Biomedical Waste generated from this HCE is collected, transported to the CBWTF, treated & disposed of by the IMAGE - CBWTF.

(iv) No of vehicles used for collection and transportation of biomedical waste

The Biomedical Waste generated from this HCE is collected, transported to the CBWTF, treated & disposed of by the IMAGE - CBWTF.

(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum

The Biomedical Waste generated from this HCE is collected, transported to the CBWTF, treated & disposed of by the IMAGE - CBWTF.

(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of

IMAGE CBWTF (Indian Medical Association Goes Eco-friendly) Manthuruthi, Kanjikode West, Palakkad - 678623

(vii) List of member HCF not handed over bio-medical waste.

NA

6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period

Yes, Discussed in monthly HIC Committee meetings (file attached)

7 Details trainings conducted on BMW

(i) Number of trainings conducted on BMW Management

1 - From IMAGE team
58

(ii) number of personnel trained

486

(iii) number of personnel trained at the time of induction

30

(iv) number of personnel not undergone any training so far

0

(v) whether standard manual for training is available?

Biomedical Waste Management Training Module from the IMAGE-CBWTF

(vi) any other information

8 Details of the accident occurred during the year

(i) Number of Accidents

03 Needle Stick Injury

(ii) Number of the persons affected occurred

NIL

(iii) Remedial Action taken (Please attach details if any)

File attached

(iv) Any Fatality occurred, details.

NIL

9 Are you meeting the standards of air Pollution from the incinerator?

NA

How many times in last year could not met the standards?


NA

3	Details of CBMWTF	IMAGE / IMA, KSB, Behind Gramalakshmi Mudralayam, Manthuruthi, Kanjikkode west, Palakkad - 678 623, Tel. No.: 0491 2570470, Email: imageimaksbtvm@gmail.com Admin: Office: IMAGE, IMA State Headquarters, Anayara PO, Thiruvananthapuram Ph. 0471-274 2211, 274 1188																																						
	(i) Number healthcare facilities covered by CBMWTF	20467																																						
	(ii) No of beds covered by CBMWTF	107157																																						
	(iii) Installed treatment and disposal capacity of CBMWTF:	55.8 tonnes per day																																						
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	52.72 tonnes per day																																						
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)(kg/year)	18876.13																																						
		<table border="1"> <thead> <tr> <th>Category</th> <th>Regular(kg)</th> <th>Covid(kg)</th> </tr> </thead> <tbody> <tr> <td>Red Waste (kg/year)</td> <td>7976.16</td> <td>0.00</td> </tr> <tr> <td>Yellow Waste (kg/year)</td> <td>9149.80</td> <td>0.00</td> </tr> <tr> <td>Blue Waste (kg/year)</td> <td>1581.18</td> <td>0.00</td> </tr> <tr> <td>White Waste (kg/year)</td> <td>168.99</td> <td>0.00</td> </tr> </tbody> </table>			Category	Regular(kg)	Covid(kg)	Red Waste (kg/year)	7976.16	0.00	Yellow Waste (kg/year)	9149.80	0.00	Blue Waste (kg/year)	1581.18	0.00	White Waste (kg/year)	168.99	0.00																					
Category	Regular(kg)	Covid(kg)																																						
Red Waste (kg/year)	7976.16	0.00																																						
Yellow Waste (kg/year)	9149.80	0.00																																						
Blue Waste (kg/year)	1581.18	0.00																																						
White Waste (kg/year)	168.99	0.00																																						
5	Details of the Storage, treatment, transportation, processing and Disposal Facility																																							
	(i) Details of the on-site storage facility :	121 sq.ft																																						
	Size :																																							
	Capacity:																																							
	Provision of on-site storage : (cold storage or any other provision)																																							
	(ii) Details of the treatment or disposal facilities	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of units</th> <th>Capacity Kg/ day</th> <th>Quantity Treated or disposed in kg per annum (kg/year)</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td>Nil</td> <td>Nil</td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td>Nil</td> <td>Nil</td> <td></td> </tr> <tr> <td>Autoclaves</td> <td>Nil</td> <td>Nil</td> <td></td> </tr> <tr> <td>Microwave</td> <td>Nil</td> <td>Nil</td> <td></td> </tr> <tr> <td>Hydroclave</td> <td>Nil</td> <td>Nil</td> <td></td> </tr> <tr> <td>Shredder</td> <td>Nil</td> <td>Nil</td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td>Nil</td> <td>Nil</td> <td></td> </tr> <tr> <td>Sharps (bottles) Encapsulation or concrete pit</td> <td>Nil</td> <td>Nil</td> <td></td> </tr> </tbody> </table>			Type of treatment equipment	No of units	Capacity Kg/ day	Quantity Treated or disposed in kg per annum (kg/year)	Incinerators	Nil	Nil		Plasma Pyrolysis	Nil	Nil		Autoclaves	Nil	Nil		Microwave	Nil	Nil		Hydroclave	Nil	Nil		Shredder	Nil	Nil		Needle tip cutter or destroyer	Nil	Nil		Sharps (bottles) Encapsulation or concrete pit	Nil	Nil	
Type of treatment equipment	No of units	Capacity Kg/ day	Quantity Treated or disposed in kg per annum (kg/year)																																					
Incinerators	Nil	Nil																																						
Plasma Pyrolysis	Nil	Nil																																						
Autoclaves	Nil	Nil																																						
Microwave	Nil	Nil																																						
Hydroclave	Nil	Nil																																						
Shredder	Nil	Nil																																						
Needle tip cutter or destroyer	Nil	Nil																																						
Sharps (bottles) Encapsulation or concrete pit	Nil	Nil																																						

	Details of Continuous online emission monitoring systems installed	
10	Liquid waste generated and treatment methods in place.	- STP- VF Output details attached
	How many times you have not met the standards in a year?	-
11	Is the disinfection method or sterilization meeting the log 4 standards?	- nil
	How many times you have not met the standards in a year?	
12	Any other relevant information	
	(Air Pollution Control Devices attached with the Incinerator)	The Biomedical Waste generated from this HCE is collected,transported to the CBWTF,treated & disposed of by the IMAGE - CBWTF.

Certified that the above report is for the period from 01-01-2024 to 31-12-2024

Name and Signature of the Head of the Institution



Date : 31-12-2024
Place : kudamalloor

Capt Ajitha Nair
CEO
KIMSHEALTH

Kudamalloor PO, Kottayam - 686017

